



Chester County Health Department Food Establishment Inspection Scores

2017 D & J Enterprises Inc

801 E Lincoln Hw
Coatesville

Inspection Date: **1/5/2010**

Critical

0

No Critical Violations

Non-Critical

0

No Non-Critical Violations

Score 100



Chester County Health Department Food Establishment Inspection Scores

7-Eleven #11312/Phoenixville

200 Nutt Rd
Phoenixville

Inspection Date: **2/18/2010**

Critical

1

Food did not meet temperature requirements

Non-Critical

5

Food containers improperly labeled

Restrooms/Handwashing facilities found unclean; not provided with necessary supplies

Garbage and refuse containers not covered; inadequate number; not vector-proof

License to operate expired; renewal application overdue; license not displayed

Operating without a Certified Food Manager (CFM); CFM certificate not displayed

Score 88



Chester County Health Department Food Establishment Inspection Scores

ACAC Fitness Center

1130 Mcdermott Dr
West Chester

Inspection Date: 1/26/2010

Critical

5

- Food did not meet temperature requirements
- Food not thawed properly
- Food service equipment and utensils not properly washed, rinsed, sanitized
- Improper handwashing techniques by food workers
- Poisonous and toxic materials improperly used, stored, labeled; not separated from food

Non-Critical

6

- Food-contact surfaces of equipment found unclean; in disrepair; not easily cleanable
- Non-food-contact surfaces of equipment found unclean; improperly maintained
- Dishwashing facilities improperly designed, constructed, maintained
- Floors/walls/ceilings found unclean, in disrepair
- Lighting inadequate
- Operating without a Certified Food Manager (CFM); CFM certificate not displayed

Score 69



Chester County Health Department Food Establishment Inspection Scores

Ace Sushi @ Giant/West Whiteland

153 E Swedesford Rd
Exton

Inspection Date: 1/29/2010

Critical

0

No Critical Violations

Non-Critical

3

Food-contact surfaces of equipment found unclean; in disrepair;
not easily cleanable

Dishwashing facilities improperly designed, constructed,
maintained

Food service equipment does not meet current general standards

Score 96



Chester County Health Department Food Establishment Inspection Scores

Adult Care of Chester County

747 W Cypress St
Kennett Square

Inspection Date: 1/20/2010

Critical

0

No Critical Violations

Non-Critical

1

Dishwashing facilities improperly designed, constructed,
maintained

Score 99



Chester County Health Department Food Establishment Inspection Scores

Alley Pub Inc
560 Lancaster Av
Frazer

Inspection Date: **1/24/2010**

Critical

0

No Critical Violations

Non-Critical

5

Restrooms/Handwashing facilities found unclean; not provided with necessary supplies
Food service equipment does not meet current general standards
Floors/walls/ceilings found unclean, in disrepair
Garbage and refuse containers not covered; inadequate number; not vector-proof
Plumbing leaks or disrepair found

Score 93



Chester County Health Department Food Establishment Inspection Scores

Appetites on Main

286 Main St
Exton

Inspection Date: 1/19/2010

Critical

0

No Critical Violations

Non-Critical

3

Food service equipment does not meet current general standards

Plumbing leaks or disrepair found

Miscellaneous

Score 96



Chester County Health Department Food Establishment Inspection Scores

Applebee's Neighborhood Grill & Bar

174 Eagleview Blvd
Exton

Inspection Date: **1/20/2010**

Critical

0

No Critical Violations

Non-Critical

5

Food-contact surfaces of equipment found unclean; in disrepair;
not easily cleanable

Dishwashing facilities improperly designed, constructed,
maintained

Food service equipment does not meet current general standards

Floors/walls/ceilings found unclean, in disrepair

Miscellaneous

Score 94



Chester County Health Department Food Establishment Inspection Scores

Aramark @ Chester County Juvenile Detention Center

501 S Wawaset Rd
West Chester

Inspection Date: **1/12/2010**

Critical

2

Food did not meet temperature requirements

Hot & cold running water not provided; water from an unapproved source

Non-Critical

0

No Non-Critical Violations

Score 90



Chester County Health Department Food Establishment Inspection Scores

Aramark @ Chester County Prison

501 S Wawaset Rd
West Chester

Inspection Date: 1/12/2010

Critical

1

Food service equipment and utensils not properly washed, rinsed, sanitized

Non-Critical

6

Improper handling of food/ice

Restrooms/Handwashing facilities found unclean; not provided with necessary supplies

Food-contact surfaces of equipment found unclean; in disrepair; not easily cleanable

Floors/walls/ceilings not smooth, easily cleanable, non-absorbent

Lighting inadequate

Plumbing leaks or disrepair found

Score 86



Chester County Health Department Food Establishment Inspection Scores

Aramark @ Fern Hill Elementary School

915 Lincoln Av
West Chester

Inspection Date: **1/14/2010**

Critical

1

Poisonous and toxic materials improperly used, stored, labeled;
not separated from food

Non-Critical

0

No Non-Critical Violations

Score **95**



Chester County Health Department Food Establishment Inspection Scores

Aramark @ Fugett Middle School

500 Ellis La
West Chester

Inspection Date: **2/19/2010**

Critical

0

No Critical Violations

Non-Critical

2

Restrooms/Handwashing facilities found unclean; not provided
with necessary supplies

Plumbing leaks or disrepair found

Score 97



Chester County Health Department Food Establishment Inspection Scores

Aramark @ Glen Acres Elementary School

1150 Delancey PI
West Chester

Inspection Date: **1/14/2010**

Critical

0

No Critical Violations

Non-Critical

0

No Non-Critical Violations

Score 100



Chester County Health Department Food Establishment Inspection Scores

Aramark @ Henderson High School

400 Montgomery Av
West Chester

Inspection Date: 2/19/2010

Critical

2

Food not protected from contamination/cross contamination

Improper handwashing techniques by food workers

Non-Critical

2

Restrooms/Handwashing facilities found unclean; not provided with necessary supplies

Plumbing leaks or disrepair found

Score 87



Chester County Health Department Food Establishment Inspection Scores

Aramark @ Pennwood Elementary School

1470 Johnnys Wy
West Chester

Inspection Date: 1/28/2010

Critical

0

No Critical Violations

Non-Critical

2

Food service equipment improperly stored & handled

Plumbing leaks or disrepair found

Score 97



Chester County Health Department Food Establishment Inspection Scores

Aramark @ Sts Peter & Paul Elementary School

1325 E Boot Rd
West Chester

Inspection Date: 1/29/2010

Critical

0

No Critical Violations

Non-Critical

2

Food service equipment does not meet current general standards

Floors/walls/ceilings found unclean, in disrepair

Score 98



Chester County Health Department Food Establishment Inspection Scores

Aramark @ Westtown-Thornbury Elementary

750 Westbourne Rd

Westtown

Inspection Date: 1/28/2010

Critical

1

Food not protected from contamination/cross contamination

Non-Critical

1

Plumbing leaks or disrepair found

Score 93



Chester County Health Department Food Establishment Inspection Scores

Aurora Pizzeria & Pasta Kitchen

25 Jenners Village Center
West Grove

Inspection Date: 1/13/2010

Critical

3

- Food did not meet temperature requirements
- Food facilities not maintaining proper food temperatures
- Restroom or handwashing facilities not provided, accessible

Non-Critical

5

- Food containers improperly labeled
- Improper handling of food/ice
- Restrooms/Handwashing facilities found unclean; not provided with necessary supplies
- Food-contact surfaces of equipment found unclean; in disrepair; not easily cleanable
- Food service equipment does not meet current general standards

Score 79



Chester County Health Department Food Establishment Inspection Scores

Avon Grove Charter School

110 East State Rd
West Grove

Inspection Date: **2/17/2010**

Critical

2

Restroom or handwashing facilities not provided, accessible

Presence of rodents/insects; harborage; breeding; outer openings
not protected

Non-Critical

1

Dishwashing facilities improperly designed, constructed,
maintained

Score 90



Chester County Health Department Food Establishment Inspection Scores

Avon Grove Charter School Early Learning Center

1769 New London Rd
Landenberg

Inspection Date: **2/17/2010**

Critical

0

No Critical Violations

Non-Critical

0

No Non-Critical Violations

Score 100



Chester County Health Department Food Establishment Inspection Scores

Bacon's Tavern

1350 Bondsville Rd
Downingtown

Inspection Date: **2/19/2010**

Critical

1

Food did not meet temperature requirements

Non-Critical

4

Restrooms/Handwashing facilities found unclean; not provided with necessary supplies

Food service equipment improperly stored & handled

Food service equipment does not meet current general standards

Garbage and refuse containers not covered; inadequate number; not vector-proof

Score 90



Chester County Health Department Food Establishment Inspection Scores

Bella Pizzeria

366 Ridge Rd
Spring City

Inspection Date: **1/11/2010**

Critical

1

Poisonous and toxic materials improperly used, stored, labeled;
not separated from food

Non-Critical

5

Non-food-contact surfaces of equipment found unclean;
improperly maintained

Food service equipment does not meet current general standards

Floors/walls/ceilings not smooth, easily cleanable, non-absorbent

Floors/walls/ceilings found unclean, in disrepair

Premises found unclean; unnecessary items found on premises

Score 90



Chester County Health Department Food Establishment Inspection Scores

Bob Evans Farm Inc #255

303 N Pottstown Pk
Exton

Inspection Date: **2/18/2010**

Critical

2

Food service equipment and utensils not properly washed, rinsed,
sanitized

Food facilities not maintaining proper food temperatures

Non-Critical

0

No Non-Critical Violations

Score 91



Chester County Health Department Food Establishment Inspection Scores

Brandywine Hall

800 W Miner St
West Chester

Inspection Date: **1/6/2010**

Critical

2

Food not protected from contamination/cross contamination

Food service equipment and utensils not properly washed, rinsed, sanitized

Non-Critical

3

Food-contact utensils found with cracks, chips, breakage

Food service equipment does not meet current general standards

Operating without a Certified Food Manager (CFM); CFM certificate not displayed

Score 87



Chester County Health Department Food Establishment Inspection Scores

Bravo Pizza Pughtown

2113 Pottstown Pk
Pottstown

Inspection Date: 1/28/2010

Critical

2

Food did not meet temperature requirements

Food not protected from contamination/cross contamination

Non-Critical

1

Non-food-contact surfaces of equipment found unclean;
improperly maintained

Score 89



Chester County Health Department Food Establishment Inspection Scores

Brickside Grille

540 Wellington Square Dr
Exton

Inspection Date: 2/4/2010

Critical

1

Food not protected from contamination/cross contamination

Non-Critical

6

Food containers improperly labeled

Food-contact surfaces of equipment found unclean; in disrepair;
not easily cleanable

Non-food-contact surfaces of equipment found unclean;
improperly maintained

Dishwashing facilities improperly designed, constructed,
maintained

Floors/walls/ceilings found unclean, in disrepair

Improper ventilation found

Score 87



Chester County Health Department Food Establishment Inspection Scores

Brock @ Siemens Medical Solutions

51 Valley Stream Pw
Malvern

Inspection Date: **1/29/2010**

Critical

4

Food received in unsound condition; spoilage found; food from an unapproved source

Food not protected from contamination/cross contamination

Food facilities not maintaining proper food temperatures

Poisonous and toxic materials improperly used, stored, labeled; not separated from food

Non-Critical

5

Food containers improperly labeled

Thermometers not provided

Food-contact surfaces of equipment found unclean; in disrepair; not easily cleanable

Non-food-contact surfaces of equipment found unclean; improperly maintained

Light fixtures unshielded

Score 74



Chester County Health Department Food Establishment Inspection Scores

Buca Di Beppo

300 Main St
Exton

Inspection Date: 2/3/2010

Critical

2

- Food did not meet temperature requirements
- Food not protected from contamination/cross contamination

Non-Critical

7

- Food-contact surfaces of equipment found unclean; in disrepair; not easily cleanable
- Non-food-contact surfaces of equipment found unclean; improperly maintained
- Food service equipment improperly stored & handled
- Dishwashing facilities improperly designed, constructed, maintained
- Floors/walls/ceilings found unclean, in disrepair
- Plumbing leaks or disrepair found
- Miscellaneous

Score 81



Chester County Health Department Food Establishment Inspection Scores

Burger King #10390/East Brandywine

1265 Horseshoe Pk
Downingtown

Inspection Date: **1/11/2010**

Critical

0

No Critical Violations

Non-Critical

3

Floors/walls/ceilings found unclean, in disrepair

Plumbing leaks or disrepair found

Operating without a Certified Food Manager (CFM); CFM
certificate not displayed

Score 96



Chester County Health Department Food Establishment Inspection Scores

Burger King #2434/Oxford

503 N Third St
Oxford

Inspection Date: 1/15/2010

Critical

2

Food not protected from contamination/cross contamination

Presence of rodents/insects; harborage; breeding; outer openings not protected

Non-Critical

7

Food-contact surfaces of equipment found unclean; in disrepair; not easily cleanable

Non-food-contact surfaces of equipment found unclean; improperly maintained

Food service equipment does not meet current general standards

Floors/walls/ceilings found unclean, in disrepair

Improper ventilation found

License to operate expired; renewal application overdue; license not displayed

Operating without a Certified Food Manager (CFM); CFM certificate not displayed

Score

82



Chester County Health Department Food Establishment Inspection Scores

Burger King #3191/West Chester

410 S High St
West Chester

Inspection Date: **1/5/2010**

Critical

0

No Critical Violations

Non-Critical

3

Food service equipment does not meet current general standards

Plumbing leaks or disrepair found

Operating without a Certified Food Manager (CFM); CFM
certificate not displayed

Score 96



Chester County Health Department Food Establishment Inspection Scores

Burger King #6500/Uwchlan

111 Eagleview Bl
Lionville

Inspection Date: **1/26/2010**

Critical

0

No Critical Violations

Non-Critical

6

Thermometers not provided

Non-food-contact surfaces of equipment found unclean;
improperly maintained

Food service equipment does not meet current general standards

Floors/walls/ceilings found unclean, in disrepair

Plumbing leaks or disrepair found

Operating without a Certified Food Manager (CFM); CFM
certificate not displayed

Score 93



Chester County Health Department Food Establishment Inspection Scores

Call a Chef

382 W Street Rd
Kennett Square

Inspection Date: **1/12/2010**

Critical

2

Food not protected from contamination/cross contamination

Food service equipment and utensils not properly washed, rinsed, sanitized

Non-Critical

4

Lighting inadequate

Light fixtures unshielded

License to operate expired; renewal application overdue; license not displayed

Premises found unclean; unnecessary items found on premises

Score **86**



Chester County Health Department Food Establishment Inspection Scores

Camp Hill Café

1601 Pughtown Rd
Kimberton

Inspection Date: **1/15/2010**

Critical

0

No Critical Violations

Non-Critical

0

No Non-Critical Violations

Score 100



Chester County Health Department Food Establishment Inspection Scores

Cannuli's

1033 W Bridge St
Phoenixville

Inspection Date: 1/20/2010

Critical

1

Food facilities not maintaining proper food temperatures

Non-Critical

4

Thermometers not provided

Non-food-contact surfaces of equipment found unclean;
improperly maintained

Food service equipment does not meet current general standards

Floors/walls/ceilings found unclean, in disrepair

Score

92



Chester County Health Department Food Establishment Inspection Scores

Capriotti's Sandwich Shop

117 E Swedesford Rd
Exton

Inspection Date: **1/7/2010**

Critical

0

No Critical Violations

Non-Critical

1

Non-food-contact surfaces of equipment found unclean;
improperly maintained

Score 99



Chester County Health Department Food Establishment Inspection Scores

Charlestown Elementary School

2060 Charlestown Rd
Malvern

Inspection Date: **1/11/2010**

Critical

0

No Critical Violations

Non-Critical

0

No Non-Critical Violations

Score 100



Chester County Health Department Food Establishment Inspection Scores

Chick-fil-a/East Caln

845 E Lancaster Av
Downingtown

Inspection Date: 1/12/2010

Critical

0

No Critical Violations

Non-Critical

2

Floors/walls/ceilings found unclean, in disrepair

Garbage and refuse containers not covered; inadequate number;
not vector-proof

Score 97



Chester County Health Department Food Establishment Inspection Scores

Child Development Center

1525 E Lincoln Hw
Coatesville

Inspection Date: **1/6/2010**

Critical

2

Food service equipment and utensils not properly washed, rinsed, sanitized

Presence of rodents/insects; harborage; breeding; outer openings not protected

Non-Critical

4

Restrooms/Handwashing facilities found unclean; not provided with necessary supplies

Single-service items being re-used; improper handling; improper storage

Floors/walls/ceilings not smooth, easily cleanable, non-absorbent

Floors/walls/ceilings found unclean, in disrepair

Score 86



Chester County Health Department Food Establishment Inspection Scores

Children's Youth Women Alliance

423 E Lincoln Hw
Coatesville

Inspection Date: **1/7/2010**

Critical

0

No Critical Violations

Non-Critical

1

Non-food-contact surfaces of equipment found unclean;
improperly maintained

Score 99



Chester County Health Department Food Establishment Inspection Scores

China Grill Buffet/West Whiteland

124 Woodcutter St
Exton

Inspection Date: **2/16/2010**

Critical

2

- Food not protected from contamination/cross contamination
- Food service equipment and utensils not properly washed, rinsed, sanitized

Non-Critical

4

- Food-contact surfaces of equipment found unclean; in disrepair; not easily cleanable
- Non-food-contact surfaces of equipment found unclean; improperly maintained
- Food service equipment does not meet current general standards
- Light fixtures unshielded

Score **85**



Chester County Health Department Food Establishment Inspection Scores

Coatesville DQ

1620 Lincoln Hw
Coatesville

Inspection Date: 1/20/2010

Critical

2

Food not protected from contamination/cross contamination

Improper handwashing techniques by food workers

Non-Critical

3

Restrooms/Handwashing facilities found unclean; not provided with necessary supplies

Floors/walls/ceilings not smooth, easily cleanable, non-absorbent

Plumbing leaks or disrepair found

Score

86



Chester County Health Department Food Establishment Inspection Scores

Cocco's Pizza/West Whiteland

303 W Boot Rd
West Chester

Inspection Date: 1/19/2010

Critical

0

No Critical Violations

Non-Critical

1

Floors/walls/ceilings found unclean, in disrepair

Score 99



Chester County Health Department Food Establishment Inspection Scores

Cocco's Pizzeria

261 Norwood Rd
Downingtown

Inspection Date: 2/8/2010

Critical

5

- Food did not meet temperature requirements
- Food not protected from contamination/cross contamination
- Food service equipment and utensils not properly washed, rinsed, sanitized
- Improper handwashing techniques by food workers
- Poisonous and toxic materials improperly used, stored, labeled; not separated from food

Non-Critical

6

- Restrooms/Handwashing facilities found unclean; not provided with necessary supplies
- Dishwashing facilities improperly designed, constructed, maintained
- Floors/walls/ceilings not smooth, easily cleanable, non-absorbent
- Floors/walls/ceilings found unclean, in disrepair
- Garbage and refuse containers not covered; inadequate number; not vector-proof
- Plumbing leaks or disrepair found

Score 67



Chester County Health Department Food Establishment Inspection Scores

Cochranville Fire Co

P. O. Box 307
Cochranville

Inspection Date: **1/27/2010**

Critical

0

No Critical Violations

Non-Critical

0

No Non-Critical Violations

Score 100



Chester County Health Department Food Establishment Inspection Scores

Conestoga High School

200 Irish Rd
Berwyn

Inspection Date: 1/29/2010

Critical

1

Hot & cold running water not provided; water from an unapproved source

Non-Critical

2

Food service equipment improperly stored & handled

Food service equipment does not meet current general standards

Score 93



Chester County Health Department Food Establishment Inspection Scores

Cookies by Design

56 E Uwchlan Av
Exton

Inspection Date: 1/15/2010

Critical

1

Food received in unsound condition; spoilage found; food from an unapproved source

Non-Critical

4

Improper handling of food/ice

Non-food-contact surfaces of equipment found unclean; improperly maintained

Dishwashing facilities improperly designed, constructed, maintained

Food service equipment does not meet current general standards

Score 90



Chester County Health Department Food Establishment Inspection Scores

Cornucopia @ Franklin Commons

400 Franklin St
Phoenixville

Inspection Date: **1/14/2010**

Critical

2

- Food did not meet temperature requirements
- Restroom or handwashing facilities not provided, accessible

Non-Critical

5

- Food containers improperly labeled
- Floors/walls/ceilings found unclean, in disrepair
- Garbage and refuse containers not covered; inadequate number; not vector-proof
- License to operate expired; renewal application overdue; license not displayed
- Operating without a Certified Food Manager (CFM); CFM certificate not displayed

Score 84



Chester County Health Department Food Establishment Inspection Scores

Cornucopia Deli @ West Pharmaceutical

101 Gordon Dr
Lionville

Inspection Date: 1/20/2010

Critical

2

Food not protected from contamination/cross contamination

Plumbing cross-connections/back siphonage found

Non-Critical

4

Food-contact surfaces of equipment found unclean; in disrepair;
not easily cleanable

Food service equipment improperly stored & handled

Food service equipment does not meet current general standards

Lighting inadequate

Score 86



Chester County Health Department Food Establishment Inspection Scores

Country Bagel Bakery/West Chester

145 E Gay St
West Chester

Inspection Date: 1/5/2010

Critical

2

Food not protected from contamination/cross contamination

Food facilities not maintaining proper food temperatures

Non-Critical

5

Thermometers not provided

Food-contact surfaces of equipment found unclean; in disrepair;
not easily cleanable

Non-food-contact surfaces of equipment found unclean;
improperly maintained

Floors/walls/ceilings found unclean, in disrepair

Miscellaneous

Score 85



Chester County Health Department Food Establishment Inspection Scores

Country Butcher

145 S Walnut St
Kennett Square

Inspection Date: **1/6/2010**

Critical

3

- Food did not meet temperature requirements
- Food not protected from contamination/cross contamination
- Food service equipment and utensils not properly washed, rinsed, sanitized

Non-Critical

1

- Food containers improperly labeled

Score 83



Chester County Health Department Food Establishment Inspection Scores

Coventry Ice Cream Parlor

633 Laurelwood Rd
Pottstown

Inspection Date: 1/13/2010

Critical

0

No Critical Violations

Non-Critical

2

Improper handling of food/ice

Non-food-contact surfaces of equipment found unclean;
improperly maintained

Score 97



Chester County Health Department Food Establishment Inspection Scores

Cugino's Deli

691 W Kings Hw
Coatesville

Inspection Date: **1/8/2010**

Critical

0

No Critical Violations

Non-Critical

3

Food containers improperly labeled

Non-food-contact surfaces of equipment found unclean;
improperly maintained

Floors/walls/ceilings found unclean, in disrepair

Score 96



Chester County Health Department Food Establishment Inspection Scores

Cumberland Farms #8951

201 Lancaster Av
Devon

Inspection Date: 1/22/2010

Critical

4

Food received in unsound condition; spoilage found; food from an unapproved source

Food not protected from contamination/cross contamination

Food service equipment and utensils not properly washed, rinsed, sanitized

Hot & cold running water not provided; water from an unapproved source

Non-Critical

8

Restrooms/Handwashing facilities found unclean; not provided with necessary supplies

Food-contact surfaces of equipment found unclean; in disrepair; not easily cleanable

Non-food-contact surfaces of equipment found unclean; improperly maintained

Food service equipment improperly stored & handled

Floors/walls/ceilings found unclean, in disrepair

Garbage and refuse containers not covered; inadequate number; not vector-proof

Lighting inadequate

Operating without a Certified Food Manager (CFM); CFM certificate not displayed

Score 70



Chester County Health Department Food Establishment Inspection Scores

Dairy Queen/Orange Julius/North Coventry

355 Coventry Mall B1
Pottstown

Inspection Date: **1/6/2010**

Critical

2

Food did not meet temperature requirements

Food service equipment and utensils not properly washed, rinsed,
sanitized

Non-Critical

3

Non-food-contact surfaces of equipment found unclean;
improperly maintained

Floors/walls/ceilings found unclean, in disrepair

Plumbing leaks or disrepair found

Score 86



Chester County Health Department Food Establishment Inspection Scores

Decker's Slice (Fox's Pizza Den)

347 Scarlett Rd
Kennett Square

Inspection Date: **2/4/2010**

Critical

0

No Critical Violations

Non-Critical

0

No Non-Critical Violations

Score 100



Chester County Health Department Food Establishment Inspection Scores

Domino's Pizza/Uwchlan

575 W Uwchlan Av
Exton

Inspection Date: 1/11/2010

Critical

0

No Critical Violations

Non-Critical

2

Floors/walls/ceilings found unclean, in disrepair

Operating without a Certified Food Manager (CFM); CFM certificate not displayed

Score 98



Chester County Health Department Food Establishment Inspection Scores

Downingtown Bowling Center

977 E Lancaster Av
Downingtown

Inspection Date: **2/3/2010**

Critical

0

No Critical Violations

Non-Critical

6

Thermometers not provided

Restrooms/Handwashing facilities found unclean; not provided with necessary supplies

Dishwashing facilities improperly designed, constructed, maintained

Food service equipment does not meet current general standards

Floors/walls/ceilings found unclean, in disrepair

Plumbing leaks or disrepair found

Score 93



Chester County Health Department Food Establishment Inspection Scores

Downingtown Education Center - CCAEP

335 Manor Av
Downingtown

Inspection Date: **2/17/2010**

Critical

0

No Critical Violations

Non-Critical

1

Floors/walls/ceilings not smooth, easily cleanable, non-absorbent

Score 99



Chester County Health Department Food Establishment Inspection Scores

Dunkin Donuts

1594 West Chester Pk
West Chester

Inspection Date: **1/21/2010**

Critical

0

No Critical Violations

Non-Critical

5

Food service equipment does not meet current general standards

Floors/walls/ceilings not smooth, easily cleanable, non-absorbent

Floors/walls/ceilings found unclean, in disrepair

Operating without a Certified Food Manager (CFM); CFM certificate not displayed

Premises found unclean; unnecessary items found on premises

Score 95



Chester County Health Department Food Establishment Inspection Scores

Dunkin Donuts/Phoenixville

123 Nutt Rd
Phoenixville

Inspection Date: **2/2/2010**

Critical

0

No Critical Violations

Non-Critical

5

Food service equipment does not meet current general standards

Floors/walls/ceilings found unclean, in disrepair

Plumbing leaks or disrepair found

License to operate expired; renewal application overdue; license not displayed

Operating without a Certified Food Manager (CFM); CFM certificate not displayed

Score 94



Chester County Health Department Food Establishment Inspection Scores

Dunkin Donuts/West Whiteland

318 E Lincoln Hw
Exton

Inspection Date: **1/14/2010**

Critical

1

Food facilities not maintaining proper food temperatures

Non-Critical

4

Thermometers not provided

Food-contact surfaces of equipment found unclean; in disrepair;
not easily cleanable

Food service equipment does not meet current general standards

Floors/walls/ceilings found unclean, in disrepair

Score 91



Chester County Health Department Food Establishment Inspection Scores

East Fallowfield Elementary School

2254 Strasburg Rd
Coatesville

Inspection Date: **2/19/2010**

Critical

1

Restroom or handwashing facilities not provided, accessible

Non-Critical

0

No Non-Critical Violations

Score 96



Chester County Health Department Food Establishment Inspection Scores

Elk Ridge School

200 Wickersham Rd
Oxford

Inspection Date: **1/5/2010**

Critical

1

Food received in unsound condition; spoilage found; food from an unapproved source

Non-Critical

1

Miscellaneous

Score 94



Chester County Health Department Food Establishment Inspection Scores

Elverson Deli

10 E Main St
Elverson

Inspection Date: **1/12/2010**

Critical

0

No Critical Violations

Non-Critical

2

Food-contact surfaces of equipment found unclean; in disrepair;
not easily cleanable

Non-food-contact surfaces of equipment found unclean;
improperly maintained

Score 97



Chester County Health Department Food Establishment Inspection Scores

Epicurean Feast @ Comcast

1354 Boot Rd
West Chester

Inspection Date: **1/4/2010**

Critical

0

No Critical Violations

Non-Critical

1

Restrooms/Handwashing facilities found unclean; not provided
with necessary supplies

Score 99



Chester County Health Department Food Establishment Inspection Scores

Exton Exxon

103 N Pottstown Pk
Exton

Inspection Date: **1/7/2010**

Critical

0

No Critical Violations

Non-Critical

3

Restrooms/Handwashing facilities found unclean; not provided with necessary supplies

Food-contact surfaces of equipment found unclean; in disrepair; not easily cleanable

Food service equipment does not meet current general standards

Score 96



Chester County Health Department Food Establishment Inspection Scores

Fairville Friends School

216 Pond View Dr
Chadds Ford

Inspection Date: **2/18/2010**

Critical

0

No Critical Violations

Non-Critical

0

No Non-Critical Violations

Score 100



Chester County Health Department Food Establishment Inspection Scores

Family Dollar Store #3339

120 First Av
Parkesburg

Inspection Date: **1/20/2010**

Critical

1

Food not protected from contamination/cross contamination

Non-Critical

0

No Non-Critical Violations

Score 95



Chester County Health Department Food Establishment Inspection Scores

Fiorello's Café

730 E Gay St
West Chester

Inspection Date: **1/5/2010**

Critical

2

Food not protected from contamination/cross contamination
Improper handwashing techniques by food workers

Non-Critical

3

Food service equipment improperly stored & handled
Dishwashing facilities improperly designed, constructed,
maintained
Operating without a Certified Food Manager (CFM); CFM
certificate not displayed

Score 87



Chester County Health Department Food Establishment Inspection Scores

Fire & Ice Cuisine @ Aegon/Stonebridge

300 Eagleview Blvd
Exton

Inspection Date: **2/19/2010**

Critical

1

Food not protected from contamination/cross contamination

Non-Critical

0

No Non-Critical Violations

Score 95



Chester County Health Department Food Establishment Inspection Scores

Firecreek Restaurant

20 E Lancaster Av
Downingtown

Inspection Date: 2/18/2010

Critical

4

- Food did not meet temperature requirements
- Food not protected from contamination/cross contamination
- Food not thawed properly
- Presence of rodents/insects; harborage; breeding; outer openings not protected

Non-Critical

4

- Restrooms/Handwashing facilities found unclean; not provided with necessary supplies
- Dishwashing facilities improperly designed, constructed, maintained
- Floors/walls/ceilings found unclean, in disrepair
- Operating without a Certified Food Manager (CFM); CFM certificate not displayed

Score 77



Chester County Health Department Food Establishment Inspection Scores

Fisherman Restaurant, The

440 Schuylkill Rd
Phoenixville

Inspection Date: 1/12/2010

Critical

0

No Critical Violations

Non-Critical

6

Restrooms/Handwashing facilities found unclean; not provided with necessary supplies
Non-food-contact surfaces of equipment found unclean; improperly maintained
Single-service items being re-used; improper handling; improper storage
Food service equipment does not meet current general standards
Floors/walls/ceilings found unclean, in disrepair
Garbage and refuse containers not covered; inadequate number; not vector-proof

Score 93



Chester County Health Department Food Establishment Inspection Scores

Fisher's Pretzels

193 Limestone Rd
Oxford

Inspection Date: 1/22/2010

Critical

0

No Critical Violations

Non-Critical

0

No Non-Critical Violations

Score 100



Chester County Health Department Food Establishment Inspection Scores

Flippin Pizza

102 Village At Eland
Phoenixville

Inspection Date: 1/26/2010

Critical

0

No Critical Violations

Non-Critical

10

Improper handling of food/ice

Thermometers not provided

Food-contact utensils found with cracks, chips, breakage

Non-food-contact surfaces of equipment found unclean;
improperly maintained

Dishwashing facilities improperly designed, constructed,
maintained

Food service equipment does not meet current general standards

Floors/walls/ceilings found unclean, in disrepair

Garbage and refuse containers not covered; inadequate number;
not vector-proof

Lighting inadequate

Light fixtures unshielded

Score

88



Chester County Health Department Food Establishment Inspection Scores

Foster Boys Pizza

226 E Lancaster Av
Downingtown

Inspection Date: **1/21/2010**

Critical

2

Food facilities not maintaining proper food temperatures

Poisonous and toxic materials improperly used, stored, labeled;
not separated from food

Non-Critical

4

Food-contact surfaces of equipment found unclean; in disrepair;
not easily cleanable

Food service equipment does not meet current general standards

Floors/walls/ceilings not smooth, easily cleanable, non-absorbent

Miscellaneous

Score **86**



Chester County Health Department Food Establishment Inspection Scores

Frank's Italian Delite

226 Bridge St
Phoenixville

Inspection Date: 2/18/2010

Critical

1

Poisonous and toxic materials improperly used, stored, labeled;
not separated from food

Non-Critical

6

Restrooms/Handwashing facilities found unclean; not provided
with necessary supplies
Food-contact utensils found with cracks, chips, breakage
Dishwashing facilities improperly designed, constructed,
maintained
Food service equipment does not meet current general standards
Floors/walls/ceilings found unclean, in disrepair
Light fixtures unshielded

Score 89



Chester County Health Department Food Establishment Inspection Scores

Fraternal Order Eagles 2666

410 South St
Oxford

Inspection Date: **1/14/2010**

Critical

1

Poisonous and toxic materials improperly used, stored, labeled;
not separated from food

Non-Critical

1

Lighting inadequate

Score 94



Chester County Health Department Food Establishment Inspection Scores

Fruit Flowers Incredibly Edible Delites

555 E Gay St
West Chester

Inspection Date: **1/3/2010**

Critical

0

No Critical Violations

Non-Critical

0

No Non-Critical Violations

Score 100



Chester County Health Department Food Establishment Inspection Scores

Gallagher's Country Tavern

3639 Schuylkill Rd
Spring City

Inspection Date: **1/11/2010**

Critical

0

No Critical Violations

Non-Critical

4

Non-food-contact surfaces of equipment found unclean;
improperly maintained

Food service equipment does not meet current general standards

Floors/walls/ceilings not smooth, easily cleanable, non-absorbent

Floors/walls/ceilings found unclean, in disrepair

Score 96



Chester County Health Department Food Establishment Inspection Scores

General Wayne Elementary School

20 Devon Rd
Malvern

Inspection Date: **1/12/2010**

Critical

0

No Critical Violations

Non-Critical

1

Plumbing leaks or disrepair found

Score 98



Chester County Health Department Food Establishment Inspection Scores

Giordano's Pizza

633 E Cypress St
Kennett Square

Inspection Date: **2/8/2010**

Critical

2

Food not protected from contamination/cross contamination

Restroom or handwashing facilities not provided, accessible

Non-Critical

4

Food containers improperly labeled

Improper handling of food/ice

Food-contact surfaces of equipment found unclean; in disrepair;
not easily cleanable

Floors/walls/ceilings found unclean, in disrepair

Score **84**



Chester County Health Department Food Establishment Inspection Scores

Gran Sasso
473 E South St
Kennett Square

Inspection Date: **1/5/2010**

Critical

2

- Food did not meet temperature requirements
- Food facilities not maintaining proper food temperatures

Non-Critical

4

- Food-contact surfaces of equipment found unclean; in disrepair; not easily cleanable
- Food-contact utensils found with cracks, chips, breakage
- Floors/walls/ceilings found unclean, in disrepair
- Lighting inadequate

Score 86



Chester County Health Department Food Establishment Inspection Scores

Grand Slam USA

11 Lancaster Av
Malvern

Inspection Date: **1/5/2010**

Critical

1

Presence of rodents/insects; harborage; breeding; outer openings
not protected

Non-Critical

1

Floors/walls/ceilings found unclean, in disrepair

Score 94



Chester County Health Department Food Establishment Inspection Scores

Harry's Hotdogs

262 Exton Sq Dr
Exton

Inspection Date: **2/2/2010**

Critical

2

Food facilities not maintaining proper food temperatures

Presence of rodents/insects; harborage; breeding; outer openings not protected

Non-Critical

6

Improper handling of food/ice

Dishwashing facilities improperly designed, constructed, maintained

Food service equipment does not meet current general standards

Floors/walls/ceilings found unclean, in disrepair

Plumbing leaks or disrepair found

Operating without a Certified Food Manager (CFM); CFM certificate not displayed

Score 83



Chester County Health Department Food Establishment Inspection Scores

Hillside Elementary School

507 Howellville Rd
Berwyn

Inspection Date: **1/29/2010**

Critical

1

Food service equipment and utensils not properly washed, rinsed,
sanitized

Non-Critical

1

Food service equipment does not meet current general standards

Score 94



Chester County Health Department Food Establishment Inspection Scores

Hirsch's Grocery

147 Washington Av
Phoenixville

Inspection Date: **1/5/2010**

Critical

0

No Critical Violations

Non-Critical

1

Non-food-contact surfaces of equipment found unclean;
improperly maintained

Score 99



Chester County Health Department Food Establishment Inspection Scores

Homewood Suites by Hilton

12 E Swedesford Rd
Malvern

Inspection Date: **1/6/2010**

Critical

0

No Critical Violations

Non-Critical

5

Restrooms/Handwashing facilities found unclean; not provided with necessary supplies

Non-food-contact surfaces of equipment found unclean; improperly maintained

Food service equipment does not meet current general standards

Floors/walls/ceilings found unclean, in disrepair

Plumbing leaks or disrepair found

Score 94



Chester County Health Department Food Establishment Inspection Scores

Hong Kong Chef @ Giant

700 Nutt Rd
Phoenixville

Inspection Date: **1/7/2010**

Critical

0

No Critical Violations

Non-Critical

3

Non-food-contact surfaces of equipment found unclean;
improperly maintained

Food service equipment improperly stored & handled

Light fixtures unshielded

Score 97



Chester County Health Department Food Establishment Inspection Scores

Hoss's Steak & Sea House

6 N Pottstown Pk
Exton

Inspection Date: **2/8/2010**

Critical

1

Plumbing cross-connections/back siphonage found

Non-Critical

4

Improper handling of food/ice

Food service equipment does not meet current general standards

Floors/walls/ceilings found unclean, in disrepair

Improper ventilation found

Score 91



Chester County Health Department Food Establishment Inspection Scores

Jimmy's BBQ

309 Lancaster Av
Frazer

Inspection Date: **2/4/2010**

Critical

2

Food facilities not maintaining proper food temperatures

Presence of rodents/insects; harborage; breeding; outer openings not protected

Non-Critical

5

Thermometers not provided

Food-contact surfaces of equipment found unclean; in disrepair; not easily cleanable

Non-food-contact surfaces of equipment found unclean; improperly maintained

Floors/walls/ceilings found unclean, in disrepair

Garbage and refuse containers not covered; inadequate number; not vector-proof

Score 84



Chester County Health Department Food Establishment Inspection Scores

John's Pizza/East Whiteland

630 Lancaster Av
Frazer

Inspection Date: **1/16/2010**

Critical

0

No Critical Violations

Non-Critical

2

Non-food-contact surfaces of equipment found unclean;
improperly maintained

Light fixtures unshielded

Score 98



Chester County Health Department Food Establishment Inspection Scores

Kennett Area Senior Center

427 S Walnut St
Kennett Square

Inspection Date: **1/14/2010**

Critical

0

No Critical Violations

Non-Critical

0

No Non-Critical Violations

Score 100



Chester County Health Department Food Establishment Inspection Scores

Kennett Square Inn

201 E State St
Kennett Square

Inspection Date: **1/7/2010**

Critical

1

Food not protected from contamination/cross contamination

Non-Critical

0

No Non-Critical Violations

Score 95



Chester County Health Department Food Establishment Inspection Scores

Kentucky Fried Chicken/Taco Bell/East Whiteland

79 Lancaster Av
Frazer

Inspection Date: 1/12/2010

Critical

0

No Critical Violations

Non-Critical

6

Thermometers not provided

Non-food-contact surfaces of equipment found unclean;
improperly maintained

Floors/walls/ceilings found unclean, in disrepair

Lighting inadequate

Operating without a Certified Food Manager (CFM); CFM
certificate not displayed

Premises found unclean; unnecessary items found on premises

Score 94



Chester County Health Department Food Establishment Inspection Scores

Kildare's

18-22 W Gay St
West Chester

Inspection Date: 1/11/2010

Critical

1

Food not protected from contamination/cross contamination

Non-Critical

11

Restrooms/Handwashing facilities found unclean; not provided with necessary supplies
Food-contact surfaces of equipment found unclean; in disrepair; not easily cleanable
Food service equipment does not meet current general standards
Floors/walls/ceilings not smooth, easily cleanable, non-absorbent
Floors/walls/ceilings found unclean, in disrepair
Plumbing leaks or disrepair found
New construction/remodeling conducted without plan review and approval
License to operate expired; renewal application overdue; license not displayed
Operating without a Certified Food Manager (CFM); CFM certificate not displayed
Premises found unclean; unnecessary items found on premises
Miscellaneous

Score

82



Chester County Health Department Food Establishment Inspection Scores

Kinder Care/West Goshen

1154 West Chester Pk
West Chester

Inspection Date: **2/8/2010**

Critical

1

Poisonous and toxic materials improperly used, stored, labeled;
not separated from food

Non-Critical

4

Non-food-contact surfaces of equipment found unclean;
improperly maintained

Food service equipment improperly stored & handled

Dishwashing facilities improperly designed, constructed,
maintained

Floors/walls/ceilings found unclean, in disrepair

Score 91



Chester County Health Department Food Establishment Inspection Scores

Knights of Columbus/West Chester

110 W Market St
West Chester

Inspection Date: **1/6/2010**

Critical

0

No Critical Violations

Non-Critical

5

Dishwashing facilities improperly designed, constructed,
maintained

Food service equipment does not meet current general standards

Improper ventilation found

Non-commercial grade food service equipment found installed

Premises found unclean; unnecessary items found on premises

Score 95



Chester County Health Department Food Establishment Inspection Scores

Kwik Farm/Birmingham

1302 Wilmington Pk
West Chester

Inspection Date: **1/29/2010**

Critical

2

Food received in unsound condition; spoilage found; food from an unapproved source

Poisonous and toxic materials improperly used, stored, labeled; not separated from food

Non-Critical

5

Thermometers not provided

Single-service items being re-used; improper handling; improper storage

Dishwashing facilities improperly designed, constructed, maintained

Floors/walls/ceilings found unclean, in disrepair

Premises found unclean; unnecessary items found on premises

Score 85



Chester County Health Department Food Establishment Inspection Scores

La Pena Mexicana Taqueria Inc

609 W Cypres St
Kennet Square

Inspection Date: **1/11/2010**

Critical

0

No Critical Violations

Non-Critical

1

Non-food-contact surfaces of equipment found unclean;
improperly maintained

Score 99



Chester County Health Department Food Establishment Inspection Scores

Landhope Farms #2/Kennett Square

536 S Union St
Kennett Square

Inspection Date: 2/1/2010

Critical

2

Food received in unsound condition; spoilage found; food from an unapproved source

Food not protected from contamination/cross contamination

Non-Critical

1

Food service equipment improperly stored & handled

Score 89



Chester County Health Department Food Establishment Inspection Scores

Le Saigon

82 E Lancaster Av
Paoli

Inspection Date: **1/7/2010**

Critical

3

- Food did not meet temperature requirements
- Food not protected from contamination/cross contamination
- Poisonous and toxic materials improperly used, stored, labeled;
not separated from food

Non-Critical

1

- Improper ventilation found

Score 84



Chester County Health Department Food Establishment Inspection Scores

Let's Do Lunch Plus

1200 Atwater Dr
Malvern

Inspection Date: **1/5/2010**

Critical

0

No Critical Violations

Non-Critical

1

Thermometers not provided

Score 99



Chester County Health Department Food Establishment Inspection Scores

Liberty Fire Co

118 Hall St
Spring City

Inspection Date: **2/2/2010**

Critical

0

No Critical Violations

Non-Critical

1

Floors/walls/ceilings not smooth, easily cleanable, non-absorbent

Score **99**



Chester County Health Department Food Establishment Inspection Scores

Lion Share Diner Family Restaurant

812 Pottstown Pk
Exton

Inspection Date: 1/26/2010

Critical

2

Food not protected from contamination/cross contamination
Poisonous and toxic materials improperly used, stored, labeled;
not separated from food

Non-Critical

5

Food containers improperly labeled
Improper handling of food/ice
Food-contact surfaces of equipment found unclean; in disrepair;
not easily cleanable
Dishwashing facilities improperly designed, constructed,
maintained
Miscellaneous

Score 82



Chester County Health Department Food Establishment Inspection Scores

Liones Restaurant

102 Wallace Av
Downingtown

Inspection Date: **1/13/2010**

Critical

2

Food service equipment and utensils not properly washed, rinsed, sanitized

Hot & cold running water not provided; water from an unapproved source

Non-Critical

4

Improper handling of food/ice

Food service equipment improperly stored & handled

Garbage and refuse containers not covered; inadequate number; not vector-proof

Improper ventilation found

Score 84



Chester County Health Department Food Establishment Inspection Scores

Lorenzo's Steaks & Hoagies

216 E Market St
West Chester

Inspection Date: 1/15/2010

Critical

1

Food did not meet temperature requirements

Non-Critical

3

Food-contact surfaces of equipment found unclean; in disrepair;
not easily cleanable

Single-service items being re-used; improper handling; improper
storage

Improper ventilation found

Score 91



Chester County Health Department Food Establishment Inspection Scores

Los Corrales

108 Rose Hill Av
West Grove

Inspection Date: **1/15/2010**

Critical

1

Food facilities not maintaining proper food temperatures

Non-Critical

1

Improper handling of food/ice

Score 94



Chester County Health Department Food Establishment Inspection Scores

Los Mariachis

201 Gay St
Phoenixville

Inspection Date: 2/3/2010

Critical

1

Food did not meet temperature requirements

Non-Critical

8

Thermometers not provided

Non-food-contact surfaces of equipment found unclean;
improperly maintained

Dishwashing facilities improperly designed, constructed,
maintained

Food service equipment does not meet current general standards

Floors/walls/ceilings found unclean, in disrepair

Lighting inadequate

Premises found unclean; unnecessary items found on premises

Miscellaneous

Score 87



Chester County Health Department Food Establishment Inspection Scores

Luigi & Giovanni Ristorante & Café

259 W Church St
Downingtown

Inspection Date: 2/2/2010

Critical

4

- Food did not meet temperature requirements
- Food not protected from contamination/cross contamination
- Food service equipment and utensils not properly washed, rinsed, sanitized
- Improper handwashing techniques by food workers

Non-Critical

7

- Food containers improperly labeled
- Thermometers not provided
- Restrooms/Handwashing facilities found unclean; not provided with necessary supplies
- Dishwashing facilities improperly designed, constructed, maintained
- Food service equipment does not meet current general standards
- Floors/walls/ceilings found unclean, in disrepair
- Lighting inadequate

Score 72



Chester County Health Department Food Establishment Inspection Scores

Magnolia Grill

975 Paoli Pk
West Chester

Inspection Date: 2/3/2010

Critical

1

Poisonous and toxic materials improperly used, stored, labeled;
not separated from food

Non-Critical

6

Restrooms/Handwashing facilities found unclean; not provided
with necessary supplies
Non-food-contact surfaces of equipment found unclean;
improperly maintained
Food service equipment does not meet current general standards
Floors/walls/ceilings found unclean, in disrepair
Lighting inadequate
Plumbing leaks or disrepair found

Score 88



Chester County Health Department Food Establishment Inspection Scores

Malvern Pizza Inc

19 E King St
Malvern

Inspection Date: **1/6/2010**

Critical

1

Food not protected from contamination/cross contamination

Non-Critical

1

Dishwashing facilities improperly designed, constructed,
maintained

Score **94**



Chester County Health Department Food Establishment Inspection Scores

Manhattan Bagel 1527

487 E Uwchlan Av
Chester Springs

Inspection Date: **2/19/2010**

Critical

0

No Critical Violations

Non-Critical

5

Food containers improperly labeled

Food-contact surfaces of equipment found unclean; in disrepair;
not easily cleanable

Non-food-contact surfaces of equipment found unclean;
improperly maintained

Food service equipment does not meet current general standards

Floors/walls/ceilings found unclean, in disrepair

Score 93



Chester County Health Department Food Establishment Inspection Scores

Max & Ermas/East Caln

1205 E Lancaster Av
Downingtown

Inspection Date: **2/9/2010**

Critical

2

Food service equipment and utensils not properly washed, rinsed, sanitized

Restroom or handwashing facilities not provided, accessible

Non-Critical

5

Restrooms/Handwashing facilities found unclean; not provided with necessary supplies

Food service equipment improperly stored & handled

Floors/walls/ceilings not smooth, easily cleanable, non-absorbent

Floors/walls/ceilings found unclean, in disrepair

Garbage and refuse containers not covered; inadequate number; not vector-proof

Score **85**



Chester County Health Department Food Establishment Inspection Scores

McDonald's #10766/Caln

3808 E Lincoln Hw
Thorndale

Inspection Date: **2/5/2010**

Critical

0

No Critical Violations

Non-Critical

2

Restrooms/Handwashing facilities found unclean; not provided
with necessary supplies

Floors/walls/ceilings found unclean, in disrepair

Score 98



Chester County Health Department Food Establishment Inspection Scores

McDonald's #2429/Coatesville

1820 Lincoln Hw
Coatesville

Inspection Date: **2/4/2010**

Critical

0

No Critical Violations

Non-Critical

2

Dishwashing facilities improperly designed, constructed,
maintained

Garbage and refuse containers not covered; inadequate number;
not vector-proof

Score 97



Chester County Health Department Food Establishment Inspection Scores

Midway Grill/Coatesville

704 E Lincoln Hw
Coatesville

Inspection Date: 1/29/2010

Critical

1

Food did not meet temperature requirements

Non-Critical

5

Food containers improperly labeled

Food-contact surfaces of equipment found unclean; in disrepair;
not easily cleanable

Dishwashing facilities improperly designed, constructed,
maintained

Floors/walls/ceilings found unclean, in disrepair

Light fixtures unshielded

Score

88



Chester County Health Department Food Establishment Inspection Scores

Midway Grill/Thorndale

3235 E Lincoln Hw
Thorndale

Inspection Date: **1/11/2010**

Critical

4

- Food did not meet temperature requirements
- Food not protected from contamination/cross contamination
- Improper handwashing techniques by food workers
- Poisonous and toxic materials improperly used, stored, labeled;
not separated from food

Non-Critical

2

- Dishwashing facilities improperly designed, constructed,
maintained
- Floors/walls/ceilings found unclean, in disrepair

Score **78**



Chester County Health Department Food Establishment Inspection Scores

Mr E's Tavern

313 W Kings Hw
Coatesville

Inspection Date: **2/1/2010**

Critical

1

Food service equipment and utensils not properly washed, rinsed, sanitized

Non-Critical

5

Food-contact surfaces of equipment found unclean; in disrepair; not easily cleanable

Non-food-contact surfaces of equipment found unclean; improperly maintained

Food service equipment does not meet current general standards

Floors/walls/ceilings found unclean, in disrepair

Light fixtures unshielded

Score 89



Chester County Health Department Food Establishment Inspection Scores

Mr. China

785 Starr St
Phoenixville

Inspection Date: **1/6/2010**

Critical

2

Food not protected from contamination/cross contamination

Food service equipment and utensils not properly washed, rinsed, sanitized

Non-Critical

8

Improper handling of food/ice

Non-food-contact surfaces of equipment found unclean; improperly maintained

Single-service items being re-used; improper handling; improper storage

Food service equipment improperly stored & handled

Food service equipment does not meet current general standards

Garbage and refuse containers not covered; inadequate number; not vector-proof

Plumbing leaks or disrepair found

License to operate expired; renewal application overdue; license not displayed

Score

79



Chester County Health Department Food Establishment Inspection Scores

National Christian Conference Center

P O Box 340
Valley Forge

Inspection Date: **1/8/2010**

Critical

1

Food service equipment and utensils not properly washed, rinsed,
sanitized

Non-Critical

0

No Non-Critical Violations

Score 95



Chester County Health Department Food Establishment Inspection Scores

Nestle's Toll House Café by Chip

269 Exton Square Pw
Exton

Inspection Date: 1/14/2010

Critical

0

No Critical Violations

Non-Critical

1

Food-contact surfaces of equipment found unclean; in disrepair;
not easily cleanable

Score 98



Chester County Health Department Food Establishment Inspection Scores

New Eagle Elementary School

507 Pugh Rd
Wayne

Inspection Date: **2/3/2010**

Critical

0

No Critical Violations

Non-Critical

0

No Non-Critical Violations

Score 100



Chester County Health Department Food Establishment Inspection Scores

Nick's News Agency

655 E Lincoln Hw
Coatesville

Inspection Date: **2/9/2010**

Critical

0

No Critical Violations

Non-Critical

0

No Non-Critical Violations

Score 100



Chester County Health Department Food Establishment Inspection Scores

No.1 China Xiong's Restaurant

2 N Five Points Rd
West Chester

Inspection Date: 1/27/2010

Critical

2

Food not protected from contamination/cross contamination

Presence of rodents/insects; harborage; breeding; outer openings not protected

Non-Critical

4

Non-food-contact surfaces of equipment found unclean; improperly maintained

Dishwashing facilities improperly designed, constructed, maintained

Floors/walls/ceilings found unclean, in disrepair

Improper ventilation found

Score 86



Chester County Health Department Food Establishment Inspection Scores

Nottingham Elementary School

736 Garfield St
Oxford

Inspection Date: **1/6/2010**

Critical

2

Food not protected from contamination/cross contamination
Presence of rodents/insects; harborage; breeding; outer openings not protected

Non-Critical

2

Food-contact surfaces of equipment found unclean; in disrepair; not easily cleanable
Garbage and refuse containers not covered; inadequate number; not vector-proof

Score 86



Chester County Health Department Food Establishment Inspection Scores

Nudy's Café/East Whiteland

490 Lancaster Av
Frazer

Inspection Date: 1/6/2010

Critical

2

- Food not protected from contamination/cross contamination
- Improper handwashing techniques by food workers

Non-Critical

7

- Restrooms/Handwashing facilities found unclean; not provided with necessary supplies
- Food-contact surfaces of equipment found unclean; in disrepair; not easily cleanable
- Food service equipment does not meet current general standards
- Floors/walls/ceilings found unclean, in disrepair
- Garbage and refuse containers not covered; inadequate number; not vector-proof
- Plumbing leaks or disrepair found
- Operating without a Certified Food Manager (CFM); CFM certificate not displayed

Score 80



Chester County Health Department Food Establishment Inspection Scores

Oasis Living Cuisine

134 Lancaster Av
Frazer

Inspection Date: 1/21/2010

Critical

0

No Critical Violations

Non-Critical

3

Non-food-contact surfaces of equipment found unclean;
improperly maintained

Food service equipment does not meet current general standards

Plumbing leaks or disrepair found

Score 96



Chester County Health Department Food Establishment Inspection Scores

Office Bar and Grille, The

1021 Moorehall Rd
Malvern

Inspection Date: **2/17/2010**

Critical

2

Food service equipment and utensils not properly washed, rinsed, sanitized

Plumbing cross-connections/back siphonage found

Non-Critical

2

Floors/walls/ceilings not smooth, easily cleanable, non-absorbent

Operating without a Certified Food Manager (CFM); CFM certificate not displayed

Score 89



Chester County Health Department Food Establishment Inspection Scores

Old Country Buffet #247

1090 E Lancaster Av
Downingtown

Inspection Date: 1/26/2010

Critical

2

Food received in unsound condition; spoilage found; food from an unapproved source

Improper handwashing techniques by food workers

Non-Critical

6

Food service equipment does not meet current general standards

Floors/walls/ceilings found unclean, in disrepair

Garbage and refuse containers not covered; inadequate number; not vector-proof

Lighting inadequate

Plumbing leaks or disrepair found

Operating without a Certified Food Manager (CFM); CFM certificate not displayed

Score 82



Chester County Health Department Food Establishment Inspection Scores

Olive Tree Mediterranean Grill

379 W Uwchlan Av
Downingtown

Inspection Date: 2/8/2010

Critical

3

- Food did not meet temperature requirements
- Food service equipment and utensils not properly washed, rinsed, sanitized
- Plumbing cross-connections/back siphonage found

Non-Critical

5

- Food containers improperly labeled
- Food-contact surfaces of equipment found unclean; in disrepair; not easily cleanable
- Non-food-contact surfaces of equipment found unclean; improperly maintained
- Food service equipment does not meet current general standards
- Floors/walls/ceilings found unclean, in disrepair

Score 79



Chester County Health Department Food Establishment Inspection Scores

Original New York Pizza, The

3563 Schuylkill Rd
Spring City

Inspection Date: 1/25/2010

Critical

2

Food not thawed properly

Presence of rodents/insects; harborage; breeding; outer openings not protected

Non-Critical

4

Non-food-contact surfaces of equipment found unclean; improperly maintained

Floors/walls/ceilings not smooth, easily cleanable, non-absorbent

Garbage and refuse containers not covered; inadequate number; not vector-proof

Light fixtures unshielded

Score 86



Chester County Health Department Food Establishment Inspection Scores

Osman's Pizza

126 E Lincoln Hw
Coatesville

Inspection Date: 1/26/2010

Critical

1

Food service equipment and utensils not properly washed, rinsed, sanitized

Non-Critical

8

Food containers improperly labeled

Improper handling of food/ice

Restrooms/Handwashing facilities found unclean; not provided with necessary supplies

Food-contact surfaces of equipment found unclean; in disrepair; not easily cleanable

Floors/walls/ceilings found unclean, in disrepair

Light fixtures unshielded

Plumbing leaks or disrepair found

Operating without a Certified Food Manager (CFM); CFM certificate not displayed

Score 83



Chester County Health Department Food Establishment Inspection Scores

Oxford Seafood Co

37 S Third St
Oxford

Inspection Date: **1/7/2010**

Critical

0

No Critical Violations

Non-Critical

4

Restrooms/Handwashing facilities found unclean; not provided with necessary supplies

Non-food-contact surfaces of equipment found unclean; improperly maintained

Lighting inadequate

License to operate expired; renewal application overdue; license not displayed

Score 96



Chester County Health Department Food Establishment Inspection Scores

Oxford Strike'n Spare Lanes

1800 Baltimore Pk
Oxford

Inspection Date: **1/27/2010**

Critical

0

No Critical Violations

Non-Critical

1

Non-food-contact surfaces of equipment found unclean;
improperly maintained

Score 99



Chester County Health Department Food Establishment Inspection Scores

Paoli Pike Sunoco (KVAAS Inc)

1425 Paoli Pk
West Chester

Inspection Date: **1/4/2010**

Critical

2

Food did not meet temperature requirements

Presence of rodents/insects; harborage; breeding; outer openings not protected

Non-Critical

6

Food containers improperly labeled

Thermometers not provided

Non-food-contact surfaces of equipment found unclean; improperly maintained

Food service equipment improperly stored & handled

Floors/walls/ceilings not smooth, easily cleanable, non-absorbent

Floors/walls/ceilings found unclean, in disrepair

Score 83



Chester County Health Department Food Establishment Inspection Scores

Papa John's #1765/West Chester

701 S High St
West Chester

Inspection Date: 1/3/2010

Critical

1

Food did not meet temperature requirements

Non-Critical

5

Non-food-contact surfaces of equipment found unclean;
improperly maintained

Floors/walls/ceilings found unclean, in disrepair

Plumbing leaks or disrepair found

License to operate expired; renewal application overdue; license
not displayed

Operating without a Certified Food Manager (CFM); CFM
certificate not displayed

Score 89



Chester County Health Department Food Establishment Inspection Scores

Papa John's/Uwchlan

185 Eagleview Bl
Lionville

Inspection Date: **2/4/2010**

Critical

2

Food not protected from contamination/cross contamination

Food facilities not maintaining proper food temperatures

Non-Critical

4

Non-food-contact surfaces of equipment found unclean;
improperly maintained

Dishwashing facilities improperly designed, constructed,
maintained

License to operate expired; renewal application overdue; license
not displayed

Operating without a Certified Food Manager (CFM); CFM
certificate not displayed

Score 87



Chester County Health Department Food Establishment Inspection Scores

Pasquale's Pizza/Parkesburg

428 D W 1st Av
Parkesburg

Inspection Date: **1/29/2010**

Critical

0

No Critical Violations

Non-Critical

3

Food-contact surfaces of equipment found unclean; in disrepair;
not easily cleanable

Non-food-contact surfaces of equipment found unclean;
improperly maintained

Floors/walls/ceilings found unclean, in disrepair

Score 96



Chester County Health Department Food Establishment Inspection Scores

Peace a Pizza/West Chester

9 W Gay St
West Chester

Inspection Date: **1/6/2010**

Critical

1

Food service equipment and utensils not properly washed, rinsed, sanitized

Non-Critical

4

Restrooms/Handwashing facilities found unclean; not provided with necessary supplies

Plumbing leaks or disrepair found

Improper ventilation found

Premises found unclean; unnecessary items found on premises

Score 90



Chester County Health Department Food Establishment Inspection Scores

Peace a Pizza/West Whiteland

291 Main St
Exton

Inspection Date: 1/21/2010

Critical

1

Plumbing cross-connections/back siphonage found

Non-Critical

6

Food-contact surfaces of equipment found unclean; in disrepair;
not easily cleanable

Non-food-contact surfaces of equipment found unclean;
improperly maintained

Food service equipment does not meet current general standards

Floors/walls/ceilings found unclean, in disrepair

Light fixtures unshielded

Operating without a Certified Food Manager (CFM); CFM
certificate not displayed

Score 89



Chester County Health Department Food Establishment Inspection Scores

Pembroke Nursing & Rehab Residence

1130 West Chester Pk
West Chester

Inspection Date: **1/29/2010**

Critical

2

Food not protected from contamination/cross contamination
Improper handwashing techniques by food workers

Non-Critical

3

Restrooms/Handwashing facilities found unclean; not provided with necessary supplies
Dishwashing facilities improperly designed, constructed, maintained
Plumbing leaks or disrepair found

Score 86



Chester County Health Department Food Establishment Inspection Scores

Pioneer Gas Station

562 Lancaster Av
Frazer

Inspection Date: **2/4/2010**

Critical

3

Food received in unsound condition; spoilage found; food from an unapproved source

Food service equipment and utensils not properly washed, rinsed, sanitized

Hot & cold running water not provided; water from an unapproved source

Non-Critical

2

Restrooms/Handwashing facilities found unclean; not provided with necessary supplies

License to operate expired; renewal application overdue; license not displayed

Score 83



Chester County Health Department Food Establishment Inspection Scores

Pizza Hut Delivery #605032/West Chester

698 E Market St
West Chester

Inspection Date: **1/14/2010**

Critical

1

Food not protected from contamination/cross contamination

Non-Critical

5

Food-contact surfaces of equipment found unclean; in disrepair;
not easily cleanable

Non-food-contact surfaces of equipment found unclean;
improperly maintained

Floors/walls/ceilings found unclean, in disrepair

Improper ventilation found

Operating without a Certified Food Manager (CFM); CFM
certificate not displayed

Score 89



Chester County Health Department Food Establishment Inspection Scores

PJ's Deli

1992 Valley Rd
Pomeroy

Inspection Date: **1/27/2010**

Critical

0

No Critical Violations

Non-Critical

2

Non-food-contact surfaces of equipment found unclean;
improperly maintained

Floors/walls/ceilings found unclean, in disrepair

Score 98



Chester County Health Department Food Establishment Inspection Scores

Pope John Paul II Catholic Elementary School

2875 Manor Rd
Coatesville

Inspection Date: **1/8/2010**

Critical

0

No Critical Violations

Non-Critical

1

Plumbing leaks or disrepair found

Score 98



Chester County Health Department Food Establishment Inspection Scores

Prima Motel Inc

502 Ringold St
Phoenixville

Inspection Date: **2/16/2010**

Critical

0

No Critical Violations

Non-Critical

7

Improper handling of food/ice

Thermometers not provided

Restrooms/Handwashing facilities found unclean; not provided with necessary supplies

Food service equipment does not meet current general standards

Floors/walls/ceilings found unclean, in disrepair

Garbage and refuse containers not covered; inadequate number; not vector-proof

Plumbing leaks or disrepair found

Score 90



Chester County Health Department Food Establishment Inspection Scores

Qdoba Mexican Grill

1107 West Chester Pk
West Chester

Inspection Date: **1/5/2010**

Critical

0

No Critical Violations

Non-Critical

2

License to operate expired; renewal application overdue; license not displayed

Operating without a Certified Food Manager (CFM); CFM certificate not displayed

Score 98



Chester County Health Department Food Establishment Inspection Scores

Renaissance Academy

40 Pine Crest St
Phoenixville

Inspection Date: **2/19/2010**

Critical

0

No Critical Violations

Non-Critical

1

Thermometers not provided

Score 99



Chester County Health Department Food Establishment Inspection Scores

Rite Aid #0992/Coatesville

320 E Lincoln Hw
Coatesville

Inspection Date: **1/5/2010**

Critical

1

Food received in unsound condition; spoilage found; food from an unapproved source

Non-Critical

0

No Non-Critical Violations

Score 95



Chester County Health Department Food Establishment Inspection Scores

Riverside Hotel

209 S Hanover St
Pottstown

Inspection Date: **1/13/2010**

Critical

0

No Critical Violations

Non-Critical

0

No Non-Critical Violations

Score 100



Chester County Health Department Food Establishment Inspection Scores

Royal Tea House

720 Lancaster Av
Berwyn

Inspection Date: **1/27/2010**

Critical

0

No Critical Violations

Non-Critical

5

Non-food-contact surfaces of equipment found unclean;
improperly maintained

Floors/walls/ceilings not smooth, easily cleanable, non-absorbent

Light fixtures unshielded

Plumbing leaks or disrepair found

Premises found unclean; unnecessary items found on premises

Score 94



Chester County Health Department Food Establishment Inspection Scores

Ruby Tuesday #3785/West Whiteland

471 John Young Wy
Exton

Inspection Date: 1/27/2010

Critical

2

- Food did not meet temperature requirements
- Food not protected from contamination/cross contamination

Non-Critical

8

- Food containers improperly labeled
- Improper handling of food/ice
- Food-contact utensils found with cracks, chips, breakage
- Non-food-contact surfaces of equipment found unclean; improperly maintained
- Food service equipment improperly stored & handled
- Dishwashing facilities improperly designed, constructed, maintained
- Food service equipment does not meet current general standards
- Light fixtures unshielded

Score 80



Chester County Health Department Food Establishment Inspection Scores

Ryan's Pub

124 W Gay St
West Chester

Inspection Date: 1/14/2010

Critical

2

Food did not meet temperature requirements

Food not protected from contamination/cross contamination

Non-Critical

7

Food-contact surfaces of equipment found unclean; in disrepair;
not easily cleanable

Non-food-contact surfaces of equipment found unclean;
improperly maintained

Dishwashing facilities improperly designed, constructed,
maintained

Floors/walls/ceilings not smooth, easily cleanable, non-absorbent

Floors/walls/ceilings found unclean, in disrepair

Plumbing leaks or disrepair found

New construction/remodeling conducted without plan review and
approval

Score 81



Chester County Health Department Food Establishment Inspection Scores

Sage Catering

1000 Lancaster Av
Berwyn

Inspection Date: **1/19/2010**

Critical

0

No Critical Violations

Non-Critical

3

Non-food-contact surfaces of equipment found unclean;
improperly maintained

Food service equipment does not meet current general standards

Floors/walls/ceilings not smooth, easily cleanable, non-absorbent

Score 97



Chester County Health Department Food Establishment Inspection Scores

Saimart

444 W Lincoln Hw
Coatesville

Inspection Date: **1/22/2010**

Critical

0

No Critical Violations

Non-Critical

2

Food-contact surfaces of equipment found unclean; in disrepair;
not easily cleanable

Plumbing leaks or disrepair found

Score 96



Chester County Health Department Food Establishment Inspection Scores

Salad Works Café/Tredyffrin

159 E Swedesford Rd
Wayne

Inspection Date: **1/7/2010**

Critical

2

Food not protected from contamination/cross contamination

Poisonous and toxic materials improperly used, stored, labeled;
not separated from food

Non-Critical

0

No Non-Critical Violations

Score 90



Chester County Health Department Food Establishment Inspection Scores

Sam's Sub Shop

329 E State St
Kennett Square

Inspection Date: **1/4/2010**

Critical

0

No Critical Violations

Non-Critical

0

No Non-Critical Violations

Score 100



Chester County Health Department Food Establishment Inspection Scores

Sanofi Aventis Country View

1 Country View Rd
Malvern

Inspection Date: 1/21/2010

Critical

0

No Critical Violations

Non-Critical

1

Food containers improperly labeled

Score 98



Chester County Health Department Food Establishment Inspection Scores

Sant Anna Italian American Club

442 Dayton St
Phoenixville

Inspection Date: **2/17/2010**

Critical

0

No Critical Violations

Non-Critical

0

No Non-Critical Violations

Score 100



Chester County Health Department Food Establishment Inspection Scores

School House Inn Inc

3298 Compass Rd
Honey Brook

Inspection Date: **1/22/2010**

Critical

0

No Critical Violations

Non-Critical

4

Restrooms/Handwashing facilities found unclean; not provided with necessary supplies

Floors/walls/ceilings found unclean, in disrepair

Light fixtures unshielded

Plumbing leaks or disrepair found

Score 95



Chester County Health Department Food Establishment Inspection Scores

Sonny's Quick Stop 2

2650 Ridge Rd
Elverson

Inspection Date: 1/12/2010

Critical

0

No Critical Violations

Non-Critical

3

Food-contact surfaces of equipment found unclean; in disrepair;
not easily cleanable

Non-food-contact surfaces of equipment found unclean;
improperly maintained

Food service equipment does not meet current general standards

Score 96



Chester County Health Department Food Establishment Inspection Scores

South Brandywine Jr High School

600 Doe Run Rd
Coatesville

Inspection Date: **2/19/2010**

Critical

1

Food service equipment and utensils not properly washed, rinsed,
sanitized

Non-Critical

0

No Non-Critical Violations

Score 95



Chester County Health Department Food Establishment Inspection Scores

Sovana Bistro

696 Unionville Rd
Kennett Square

Inspection Date: 1/12/2010

Critical

2

Food not protected from contamination/cross contamination

Restroom or handwashing facilities not provided, accessible

Non-Critical

5

Food-contact surfaces of equipment found unclean; in disrepair;
not easily cleanable

Floors/walls/ceilings found unclean, in disrepair

Lighting inadequate

Light fixtures unshielded

Plumbing leaks or disrepair found

Score 84



Chester County Health Department Food Establishment Inspection Scores

Spring City Hotel

88 N Main St
Spring City

Inspection Date: 1/26/2010

Critical

0

No Critical Violations

Non-Critical

3

Food-contact surfaces of equipment found unclean; in disrepair;
not easily cleanable

Non-food-contact surfaces of equipment found unclean;
improperly maintained

Single-service items being re-used; improper handling; improper
storage

Score 96



Chester County Health Department Food Establishment Inspection Scores

St Gabriel's Hall

8900 Gap Newport Pk
Avondale

Inspection Date: **1/29/2010**

Critical

0

No Critical Violations

Non-Critical

0

No Non-Critical Violations

Score 100



Chester County Health Department Food Establishment Inspection Scores

St Mary Of Assumption

Grant & South St
Phoenixville

Inspection Date: 1/13/2010

Critical

1

Food received in unsound condition; spoilage found; food from an unapproved source

Non-Critical

3

Dishwashing facilities improperly designed, constructed, maintained

Floors/walls/ceilings found unclean, in disrepair

Plumbing leaks or disrepair found

Score 91



Chester County Health Department Food Establishment Inspection Scores

Stables

1 Charlestown Rd
Phoenixville

Inspection Date: **1/4/2010**

Critical

0

No Critical Violations

Non-Critical

1

Food-contact surfaces of equipment found unclean; in disrepair;
not easily cleanable

Score 98



Chester County Health Department Food Establishment Inspection Scores

Stadium Grille/Upper Uwchlan

570 Simpson Dr
Chester Springs

Inspection Date: **2/1/2010**

Critical

0

No Critical Violations

Non-Critical

4

Food-contact surfaces of equipment found unclean; in disrepair;
not easily cleanable

Non-food-contact surfaces of equipment found unclean;
improperly maintained

Floors/walls/ceilings not smooth, easily cleanable, non-absorbent

Plumbing leaks or disrepair found

Score 94



Chester County Health Department Food Establishment Inspection Scores

Stadium Grille/West Goshen

104 Turner La
West Chester

Inspection Date: 1/26/2010

Critical

1

Improper handwashing techniques by food workers

Non-Critical

3

Non-food-contact surfaces of equipment found unclean;
improperly maintained

Garbage and refuse containers not covered; inadequate number;
not vector-proof

Improper ventilation found

Score 91



Chester County Health Department Food Establishment Inspection Scores

Starbucks Coffee/Uwchlan

801 N Pottstown Pk
Lionville

Inspection Date: 1/26/2010

Critical

0

No Critical Violations

Non-Critical

2

Garbage and refuse containers not covered; inadequate number;
not vector-proof

Plumbing leaks or disrepair found

Score 96



Chester County Health Department Food Establishment Inspection Scores

Starbucks Coffee/West Chester

2 W Gay St
West Chester

Inspection Date: **1/7/2010**

Critical

0

No Critical Violations

Non-Critical

1

License to operate expired; renewal application overdue; license not displayed

Score 99



Chester County Health Department Food Establishment Inspection Scores

Starbucks Coffee/West Whiteland

300 E Lincoln Hw
Exton

Inspection Date: **1/7/2010**

Critical

0

No Critical Violations

Non-Critical

3

Garbage and refuse containers not covered; inadequate number;
not vector-proof

Plumbing leaks or disrepair found

Operating without a Certified Food Manager (CFM); CFM
certificate not displayed

Score 95



Chester County Health Department Food Establishment Inspection Scores

Staybridge Suites by Holiday Inn

20 Morehall Rd
Malvern

Inspection Date: **1/8/2010**

Critical

1

Food did not meet temperature requirements

Non-Critical

3

Improper handling of food/ice

Plumbing leaks or disrepair found

License to operate expired; renewal application overdue; license not displayed

Score 90



Chester County Health Department Food Establishment Inspection Scores

Sticky Fingers/CCHD #674

1399 Creek Rd
Glenmoore

Inspection Date: 1/19/2010

Critical

0

No Critical Violations

Non-Critical

4

Floors/walls/ceilings not smooth, easily cleanable, non-absorbent

Garbage and refuse containers not covered; inadequate number;
not vector-proof

Improper use of tobacco by food workers

Operating without a Certified Food Manager (CFM); CFM
certificate not displayed

Score 95



Chester County Health Department Food Establishment Inspection Scores

Stottsville Inn
3486 Strasburg Rd
Pomeroy

Inspection Date: **2/5/2010**

Critical

0

No Critical Violations

Non-Critical

4

Food-contact surfaces of equipment found unclean; in disrepair;
not easily cleanable

Food service equipment does not meet current general standards

Floors/walls/ceilings not smooth, easily cleanable, non-absorbent

Floors/walls/ceilings found unclean, in disrepair

Score 95



Chester County Health Department Food Establishment Inspection Scores

Subway/East Pikeland

512 Kimberton Rd
Phoenixville

Inspection Date: **2/2/2010**

Critical

0

No Critical Violations

Non-Critical

3

Restrooms/Handwashing facilities found unclean; not provided with necessary supplies

Floors/walls/ceilings found unclean, in disrepair

Plumbing leaks or disrepair found

Score 96



Chester County Health Department Food Establishment Inspection Scores

Subway/West Whiteland

201-31 W Lincoln Hw
Exton

Inspection Date: **1/22/2010**

Critical

1

Presence of rodents/insects; harborage; breeding; outer openings not protected

Non-Critical

3

Floors/walls/ceilings found unclean, in disrepair

License to operate expired; renewal application overdue; license not displayed

Operating without a Certified Food Manager (CFM); CFM certificate not displayed

Score 92



Chester County Health Department Food Establishment Inspection Scores

Sugartown Elementary School

611 Sugartown Rd
Malvern

Inspection Date: **1/7/2010**

Critical

1

Food service equipment and utensils not properly washed, rinsed,
sanitized

Non-Critical

0

No Non-Critical Violations

Score 95



Chester County Health Department Food Establishment Inspection Scores

Sunoco #7236/West Pikeland

904 Kimberton Rd
Chester Springs

Inspection Date: **1/25/2010**

Critical

1

Poisonous and toxic materials improperly used, stored, labeled;
not separated from food

Non-Critical

4

Restrooms/Handwashing facilities found unclean; not provided
with necessary supplies

Food-contact surfaces of equipment found unclean; in disrepair;
not easily cleanable

Floors/walls/ceilings found unclean, in disrepair

Premises found unclean; unnecessary items found on premises

Score 90



Chester County Health Department Food Establishment Inspection Scores

Sunoco Countryside Food Mart

610 Bradford Av
West Chester

Inspection Date: **1/6/2010**

Critical

3

Food received in unsound condition; spoilage found; food from an unapproved source

Restroom or handwashing facilities not provided, accessible

Presence of rodents/insects; harborage; breeding; outer openings not protected

Non-Critical

1

Floors/walls/ceilings found unclean, in disrepair

Score 85



Chester County Health Department Food Establishment Inspection Scores

Sunoco Let's Go Mart/ West Goshen

851 S High St
West Chester

Inspection Date: 1/12/2010

Critical

2

Poisonous and toxic materials improperly used, stored, labeled;
not separated from food

Presence of rodents/insects; harborage; breeding; outer openings
not protected

Non-Critical

2

Improper ventilation found

Premises found unclean; unnecessary items found on premises

Score 88



Chester County Health Department Food Establishment Inspection Scores

Surrey Services for Seniors

28 Bridge Av
Berwyn

Inspection Date: **1/7/2010**

Critical

0

No Critical Violations

Non-Critical

0

No Non-Critical Violations

Score 100



Chester County Health Department Food Establishment Inspection Scores

Talula's Table

102 W State St
Kennett Square

Inspection Date: **2/2/2010**

Critical

1

Presence of rodents/insects; harborage; breeding; outer openings not protected

Non-Critical

3

Food containers improperly labeled

Single-service items being re-used; improper handling; improper storage

Light fixtures unshielded

Score 91



Chester County Health Department Food Establishment Inspection Scores

Taqueria Alquisiras Truck/CCHD # 632

735 E Lincoln Hwy
Coatesville

Inspection Date: **1/7/2010**

Critical

0

No Critical Violations

Non-Critical

0

No Non-Critical Violations

Score 100



Chester County Health Department Food Establishment Inspection Scores

Taquiria Dos Amigos

136 E Lincoln Hw
Coatesville

Inspection Date: **1/5/2010**

Critical

0

No Critical Violations

Non-Critical

0

No Non-Critical Violations

Score 100



Chester County Health Department Food Establishment Inspection Scores

Thai Restaurant

700 Nutt Rd
Phoenixville

Inspection Date: 1/22/2010

Critical

1

Poisonous and toxic materials improperly used, stored, labeled;
not separated from food

Non-Critical

1

Non-food-contact surfaces of equipment found unclean;
improperly maintained

Score 94



Chester County Health Department Food Establishment Inspection Scores

Thomas' Dairy Queen

703 E Gay St
West Chester

Inspection Date: **2/4/2010**

Critical

0

No Critical Violations

Non-Critical

0

No Non-Critical Violations

Score 100



Chester County Health Department Food Establishment Inspection Scores

Thomas W O'Connor #602

27 N Main St
Spring City

Inspection Date: **2/2/2010**

Critical

0

No Critical Violations

Non-Critical

1

Food-contact surfaces of equipment found unclean; in disrepair;
not easily cleanable

Score **98**



Chester County Health Department Food Establishment Inspection Scores

Tredyffrin-Easttown Middle School

801 Conestoga Rd
Berwyn

Inspection Date: 1/29/2010

Critical

1

Food received in unsound condition; spoilage found; food from an unapproved source

Non-Critical

1

Food service equipment does not meet current general standards

Score 94



Chester County Health Department Food Establishment Inspection Scores

Triple Fresh Market

801 Doe Run Rd
Coatesville

Inspection Date: **1/26/2010**

Critical

0

No Critical Violations

Non-Critical

5

Food containers improperly labeled

Non-food-contact surfaces of equipment found unclean;
improperly maintained

Food service equipment does not meet current general standards

Floors/walls/ceilings found unclean, in disrepair

Light fixtures unshielded

Score 94



Chester County Health Department Food Establishment Inspection Scores

Turkey Hill #193/Spring City

2 E Bridge St
Spring City

Inspection Date: **1/11/2010**

Critical

1

Poisonous and toxic materials improperly used, stored, labeled;
not separated from food

Non-Critical

4

Non-food-contact surfaces of equipment found unclean;
improperly maintained

Floors/walls/ceilings found unclean, in disrepair

Light fixtures unshielded

Plumbing leaks or disrepair found

Score 90



Chester County Health Department Food Establishment Inspection Scores

Turkey Hill #84/Parkesburg

10 E First Av
Parkesburg

Inspection Date: 1/15/2010

Critical

0

No Critical Violations

Non-Critical

1

Restrooms/Handwashing facilities found unclean; not provided
with necessary supplies

Score 99



Chester County Health Department Food Establishment Inspection Scores

Vadeshwar, Inc

100 S Church St
Parkesburg

Inspection Date: **1/5/2010**

Critical

0

No Critical Violations

Non-Critical

0

No Non-Critical Violations

Score 100



Chester County Health Department Food Establishment Inspection Scores

Valley Forge Christian College

1401 Charlestown Rd
Phoenixville

Inspection Date: 1/25/2010

Critical

4

- Food did not meet temperature requirements
- Food not protected from contamination/cross contamination
- Improper handwashing techniques by food workers
- Poisonous and toxic materials improperly used, stored, labeled; not separated from food

Non-Critical

12

- Food containers improperly labeled
- Improper handling of food/ice
- Thermometers not provided
- Restrooms/Handwashing facilities found unclean; not provided with necessary supplies
- Food-contact surfaces of equipment found unclean; in disrepair; not easily cleanable
- Non-food-contact surfaces of equipment found unclean; improperly maintained
- Single-service items being re-used; improper handling; improper storage
- Food service equipment does not meet current general standards
- Floors/walls/ceilings found unclean, in disrepair
- Garbage and refuse containers not covered; inadequate number; not vector-proof
- Lighting inadequate
- Premises found unclean; unnecessary items found on premises

Score 64



Chester County Health Department Food Establishment Inspection Scores

Valley Forge Corner Inc

1870 Valley Forge Rd
Valley Forge

Inspection Date: **2/5/2010**

Critical

1

Food did not meet temperature requirements

Non-Critical

4

Food containers improperly labeled

Food-contact surfaces of equipment found unclean; in disrepair;
not easily cleanable

Food service equipment improperly stored & handled

Food service equipment does not meet current general standards

Score 89



Chester County Health Department Food Establishment Inspection Scores

Valley Forge Elementary School

99 Walker Rd
Wayne

Inspection Date: **2/2/2010**

Critical

0

No Critical Violations

Non-Critical

1

Food service equipment does not meet current general standards

Score **99**



Chester County Health Department Food Establishment Inspection Scores

Vano's Pizza and Restaurant

1387 Boot Rd
West Chester

Inspection Date: 1/19/2010

Critical

1

Food not protected from contamination/cross contamination

Non-Critical

3

Food service equipment improperly stored & handled

Food service equipment does not meet current general standards

Floors/walls/ceilings found unclean, in disrepair

Score 92



Chester County Health Department Food Establishment Inspection Scores

VFW Post #845

4601 A Lincoln Hw
Downingtown

Inspection Date: **1/19/2010**

Critical

0

No Critical Violations

Non-Critical

5

Restrooms/Handwashing facilities found unclean; not provided with necessary supplies

Floors/walls/ceilings not smooth, easily cleanable, non-absorbent

Garbage and refuse containers not covered; inadequate number; not vector-proof

Plumbing leaks or disrepair found

Operating without a Certified Food Manager (CFM); CFM certificate not displayed

Score 93



Chester County Health Department Food Establishment Inspection Scores

Vickers Tavern

192 Welsh Pool Road
Lionville

Inspection Date: 1/13/2010

Critical

0

No Critical Violations

Non-Critical

8

Food-contact surfaces of equipment found unclean; in disrepair;
not easily cleanable

Non-food-contact surfaces of equipment found unclean;
improperly maintained

Single-service items being re-used; improper handling; improper
storage

Dishwashing facilities improperly designed, constructed,
maintained

Food service equipment does not meet current general standards

Floors/walls/ceilings found unclean, in disrepair

Plumbing leaks or disrepair found

Improper ventilation found

Score 90



Chester County Health Department Food Establishment Inspection Scores

Victoria's Pizza

802 E Lincoln Hw
Coatesville

Inspection Date: **1/22/2010**

Critical

2

Food service equipment and utensils not properly washed, rinsed, sanitized

Food facilities not maintaining proper food temperatures

Non-Critical

4

Improper handling of food/ice

Non-food-contact surfaces of equipment found unclean; improperly maintained

Food service equipment improperly stored & handled

Floors/walls/ceilings found unclean, in disrepair

Score 86



Chester County Health Department Food Establishment Inspection Scores

Village Pizza & Subs

1765 New London Rd
Kemblesville

Inspection Date: 1/21/2010

Critical

0

No Critical Violations

Non-Critical

2

Food containers improperly labeled

Non-food-contact surfaces of equipment found unclean;
improperly maintained

Score 97



Chester County Health Department Food Establishment Inspection Scores

Ward's Restaurant

494 W Baltimore Pk
West Grove

Inspection Date: **1/4/2010**

Critical

0

No Critical Violations

Non-Critical

5

Food containers improperly labeled

Restrooms/Handwashing facilities found unclean; not provided with necessary supplies

Floors/walls/ceilings not smooth, easily cleanable, non-absorbent

Floors/walls/ceilings found unclean, in disrepair

Premises found unclean; unnecessary items found on premises

Score 94



Chester County Health Department Food Establishment Inspection Scores

Wawa #205/East Whiteland

5 Matthews Rd
Malvern

Inspection Date: 1/20/2010

Critical

0

No Critical Violations

Non-Critical

2

Non-food-contact surfaces of equipment found unclean;
improperly maintained

Floors/walls/ceilings found unclean, in disrepair

Score 98



Chester County Health Department Food Establishment Inspection Scores

Wawa #34/Kennett Square

505 Cypress St
Kennett Square

Inspection Date: **1/4/2010**

Critical

2

Food service equipment and utensils not properly washed, rinsed, sanitized

Hot & cold running water not provided; water from an unapproved source

Non-Critical

1

Non-food-contact surfaces of equipment found unclean; improperly maintained

Score 89



Chester County Health Department Food Establishment Inspection Scores

West End Fire Co #3/Coatesville

134 Strode Av
Coatesville

Inspection Date: **1/7/2010**

Critical

1

Plumbing cross-connections/back siphonage found

Non-Critical

2

Non-food-contact surfaces of equipment found unclean;
improperly maintained

Floors/walls/ceilings found unclean, in disrepair

Score 94



Chester County Health Department Food Establishment Inspection Scores

Willie's Family Restaurant

734 E Lincoln Hw
Coatesville

Inspection Date: 1/26/2010

Critical

0

No Critical Violations

Non-Critical

4

Single-service items being re-used; improper handling; improper storage

Food service equipment improperly stored & handled

Floors/walls/ceilings found unclean, in disrepair

Light fixtures unshielded

Score

96



Chester County Health Department Food Establishment Inspection Scores

Yang's Farmers Market

573 Lancaster Av
Berwyn

Inspection Date: **1/13/2010**

Critical

0

No Critical Violations

Non-Critical

5

Food-contact surfaces of equipment found unclean; in disrepair;
not easily cleanable

Non-food-contact surfaces of equipment found unclean;
improperly maintained

Food service equipment does not meet current general standards

Floors/walls/ceilings found unclean, in disrepair

Premises found unclean; unnecessary items found on premises

Score 94